

PRODUCT SPECIFICATION


Art. No.	LAM003
NAME OF PRODUCT	road construction lamp with LED bulb
REVISION NO	---
REPLACED REVISION	---
VALID FROM	order 19NS-S568
CHANGE DESCRIPTION	---
DESCRIPTION OF PRODUCT	road construction lamp with LED bulb , factory type: BL-1160 without battery
INTENDED USE OF PRODUCT	road safety

RAW MATERIAL		
CODE FOR THE ENCLOSED	RAW MATERIAL	ADDITIONAL INFORMATION
RAW MATERIAL SPECIFICATION	Material	PS (lampshade) ,PP (base)
	Light Source	Φ 5MM*2PCS LED ,brightness of 10000MCD shelf life is about 50,000 hours
TECHNOLOGY SPECIFICATION	Flashing frequency	60±5times/min
	Visibility range	650-700 m
	Power	0.3W
	Battery	one or two 4R25 batteries, 6V
	Switch mode	Flash: automatically turns off during the day and lights up at night
Transport carton	Double Wall Corrugated Fibreboard Weight: 600-700g/m ²	

QUALITY SPECIFICATION OF THE PRODUCT			
CHARACTERISTIC	TARGET VALUE	QUALITY TOLERANCES	TEST METHOD
FINISHED SIZE	length=18cm	+/- 0.5cm	Measuring
	Width=8cm	+/- 0.5cm	Measuring
	Total High=32cm	+/- 0.5cm	Measuring




DESCRIPTION OF THE PACKAGING SYSTEM

PACKING		
1pc/bag, 12pcs/ctn		
BAG SIZE (cm)		
L	W	H
CARTON SIZE (cm)		
L	W	H
43	34	38



Road construction lamp with LED bulb

Attachment I



Carton two long sides printing